

Luminaire Schedule						
Symbol	Qty	Label	Arrangement	Total Lamp Lumens	LLF	Description
☐	12	A3 Maxi 2000W T10 N	SINGLE	225000	0.800	A3 Maxi 2000W T10 Narrow Beam Imax=65 deg, Asymmetric floodlight

Calculation Summary							
Label	CalcType	Units	Avg	Max	Min	Min/Avg	Min/Max
CalcPts_1	Illuminance	Lux	147.94	275	75.3	0.51	0.27
ObrusiveLight_1_Cd_Seg1	Obrusive Light - Cd	N.A.	N.A.	18716	10	N.A.	N.A.
ObrusiveLight_1_III_Seg1	Obrusive Light - III	Lux	N.A.	7.0	0.0	N.A.	N.A.
ObrusiveLight_2_Cd_Seg1	Obrusive Light - Cd	N.A.	N.A.	2521	8	N.A.	N.A.
ObrusiveLight_2_III_Seg1	Obrusive Light - III	Lux	N.A.	0.2	0.0	N.A.	N.A.
ObrusiveLight_3_Cd_Seg1	Obrusive Light - Cd	N.A.	N.A.	1303	10	N.A.	N.A.
ObrusiveLight_3_III_Seg1	Obrusive Light - III	Lux	N.A.	0.0	0.0	N.A.	N.A.

